

FIG. 1




FIG. 2




FIG. 3

(a) HEADER

Date: 20 Jun 2002 09:00:00 +0900
To: document@sharp.co.jp
From: SHARP D1 InternetFAX <Sharp_Doc_InternetFAX@sharp.co.jp>
Subject: InternetFAX : SHARP D1
Sender: Sharp_Doc_InternetFAX@sharp.co.jp (Internet FAX)
Reply-To: <Sharp_Doc_InternetFAX@sharp.co.jp>
X-Mailer: X-SHARP Network Scanner System

REQUEST FOR MDN

ADDRESS
FOR MDN

Disposition-Notification-To: Sharp_Doc_InternetFAX@sharp.co.jp

MIME-Version: 1.0

Content-Type: multipart/mixed; boundary="SHARP-SmTP-BOUNDARY- A30"

Content-Transfer-Encoding: 7bit

MAIL IDENTIFICATION

Message-ID: <111@SHARP_D1>

(b) TEXT

--SHARP-SmTP-BOUNDARY- A30

Content-Type: text/plain; charset=iso-2022-jp

Content-Transfer-Encoding: 7bit

DEVICE NAME : SHARP_D1
MODEL NAME : SHARP AR-M450
LOCATION :
FILE FORMAT : TIFF (MMR)
RESOLUTION : 200dpi x 200dpi
ATTACHMENT IS SCANNED TIFF IMAGE

(c) ATTACHMENT

--SHARP-SmTP-BOUNDARY- A30

Content-Type: image/tiff;

name="SHARP_D1_InternetFAX_2002001.tif"

Content-Transfer-Encoding: base64

Content-Disposition: attachment;

filename="SHARP_D1_InternetFAX_2002001.tif"

SUkqAAgAAAAARAP4ABAABAAAAAgAAAAABBAABAAAAwAYAAAEBBAABAAAAJwkAAAIbAwA
AAMBwABAAAAAwAAAAyBAwABAAAAAooooBAwABAAAAAgAAABEBBAABAAAAACgEAAB

FIG. 4




FIG. 5




FIG. 6MAIL SERVER
(MANAGING TABLE)

MESSAGE NO.	ID	MAIL SIZE (TEXT + ATTACHMENT)
1	AAAAAA	50K
2	BBBBBB	2K
3	CCCCC	60K
4	DDDDD	2K
5	EEEE	50K

FIG. 7RECEIVING MACHINE (TERMINAL MACHINE)
(MANAGING TABLE)

MESSAGE NO.	ID	MAIL SIZE (TEXT + ATTACHMENT)	RECEIPT ORDER
1	AAAAAA	50K	3
2	BBBBBB	2K	1
3	CCCCC	60K	4
4	DDDDD	2K	2
5	EEEE	50K	5

FIG. 8




FIG. 9




FIG. 10

